

**Simply more
loading profit.**



FlexiFloor® double deck. Simply more profitable.

➔ **THE SIMPLE SOLUTIONS** are the best. FlexiFloor® double deck system is proving that in an efficient and profitable way.

FlexiFloor® is a simple and flexible mechanical solution with separate sections, but without heavy or bulky hydraulics or pneumatics. The system is very easy to operate manually – it can be handled by one person only.

THE SYSTEM ENABLES a trailer to have its loading area maximized and optimized for all kinds of packed and unpacked goods, pallets, containers, barrels and trolleys.

You can substantially increase your loading capacity on existing transportation lines – our customers confirm an enlarged loading capacity of at least 30 %.

The sections, each capable of supporting a tonne plus, bring loading safety and therefore a lot less damaged goods. Our customers confirm an 80 % reduction in damaged goods.

THIS SIMPLE AND PRACTICAL construction does not lead to any additional operating costs. It can be used in any standard trailer with a wall thickness of min. 20 mm, saving cost and creating additional trailer capacity for new business.

MORE FLEXIBILITY:

With the FlexiBeam® system, which is another of our patented solutions, you can use beams on the same rails as FlexiFloor which allows an even more flexible and safe loading combination for heavy and light goods on two levels.

The simple solutions are always the best.

➔ **DIE EINFACHEN LÖSUNGEN** sind die Besten. Das beweist das FlexiFloor® Doppelstock – System und zwar auf eine effiziente und profitable Weise.

FlexiFloor® ist eine simple mechanische Lösung, aufgebaut auf einzelnen Segmenten und sehr leicht von einer Person manuell zu bedienen - ohne schwere oder sperrige Hydraulik oder Pneumatik.

DIESES SYSTEM ERLAUBT es den Laderaum von Kofferaufbauten zu maximieren und optimieren - für alle Arten von verpackten und unverpackten Gütern, Paletten, Gitterboxen und Rollcontainer geeignet. Kunden, die bereits FlexiFloor® in Einsatz haben, bestätigen den Gewinn von mindestens 30 % Ladekapazität.


Jedes Segment ist stark genug mehr als eine Tonne zu tragen und erreicht mehr Ladungsicherheit. Dies führte bereits bei unseren Kunden bis zu 80 % weniger Transportschäden.

DIE PRAKTISCHE PATENTIERTE Konstruktion verursacht keine Zusatzkosten. Standard Trailer mit 20 mm Wandstärke genügen bereits, um FlexiFloor® zu nutzen. Dabei werden teure Anschaffungskosten für Sonderaufbauten gespart.

UND NOCH MEHR FLEXIBILITÄT:

Mit dem FlexiBeam® – System, ein weiteres Produkt unserer patentierten Transportlösungen, wird auf der Basis von Ladebalken, die ebenfalls in den FlexiFloor® Schienen verwendet werden können, eine noch effizientere Ladekombinationen auf zwei Ebenen geschaffen.

Die einfachen Lösungen sind eben die Besten.



+ 30% 80% —

LOADING CAPACITY DAMAGED GOODS

PROFITABILITY, SAFETY AND THE ENVIRONMENT – a win-win solution. FlexiFloor® and FlexiBeam® have even more advantages.

Higher capacity utilisation does not only decrease the number of transportations, but it also reduces the transportation costs – with the same fuel and road-duty expenses - the cost per kilo load falls considerably. Reduced fuel consumption means reduced CO² emissions, which helps the environment.

Furthermore, simpler and safer handling at the terminals not only saves a lot of time, but also improves the working conditions and safety which is crucial to deliver an attractive and profitable working environment.

MONEY TALKS HEISST ES, aber es gibt weitere Aspekte die beachtet werden sollten:

Höhere Ladekapazität reduziert nicht nur die Anzahl der benötigten LKW - Fahrten, sondern auch die Transportkosten. Treibstoff- und Mautkosten bleiben gleich, aber die Kosten pro Kg Ladung reduzieren sich deutlich. Eine Reduzierung des Treibstoffverbrauches entlastet zu dem die Umwelt, durch Senkung der Emissionen. Eine einfache und sichere Bedienung an den Terminals spart nicht nur viel Zeit, sondern verbessert auch die Arbeitsbedingungen, sowie die Arbeitssicherheit und fördert die Ladungssicherheit.

Aspekte, die immer höher geschätzt werden.

Agents

JR Industries GmbH, Duisburger Str. 7, D-33647 Bielefeld, Germany
Phone +49 521 41 74 115. Fax +49 521 41 75 222. E-Mail info@jrindustries.de

WIC, Landskronavägen 25 A, S-252 32 Helsingborg, Sweden
Phone +46 42 15 22 30. Fax +46 42 15 21 30. E-mail jan@flexifloor.de

www.flexifloor.de

